

Decorative Pedagard FC

Table of Contents

LEED Letter for Waterproofing and Deck Coating Products (SSc7.1, MRc6.1, MRc6.2, IEQc5.2)	Certification Letters	English	2
LEED Letter for Flooring Products (MRc6.1, IEQc5.2)	Certification Letters	English	4
LEED Letter for Aggregates (MRc6.1, MRc6.2)	Certification Letters	English	5
LEED Letter for Miscellaneous Products (MRc6.1, MRc6.2)	Certification Letters	English	6

Re: Neogard Waterproofing Coating Systems – LEED Product Information

To Whom It May Concern:

Neogard, a part of Hempel, manufactures products that qualify for points under LEED v4 for New Construction and Major Renovations. The following information references specific LEED credits and outlines potential points available when these products are used on a project:

Sustainable Sites Credit 7.1: Heat Island Reduction – Non-roof and Roof (SSc7.1)

Neogard certifies solar reflectance index (SRI) values for the products listed below. Products with an SRI value of at least 28 may be considered for this credit.

- 7430-28 (57040) White Aromatic Urethane SRI = 93
- 7435 (57059) Tan Aromatic Urethane SRI = 47
- 7470-11 (47LJB) Light Gray 1K Aliphatic Urethane Deck Coating SRI = 81
- FC7530-01 (57069) White 2K Aliphatic Urethane Topcoat SRI = 110
- FC7540 (47QJ9) Gray 2K Aliphatic Urethane Topcoat SRI = 29

Materials & Resources Credit 6.1: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.1)

Neogard certifies that the products listed below are manufactured at 2728 Empire Central, Dallas, TX 75235. Products sourced within 100 miles of the project site are valued at 200% of their base contributing cost.

- 70410 (45010) Aromatic Urethane
- 70410-CA (45011) Aromatic Urethane
- 70714/70715-09 (45069/95075) Two-Component General Purpose Epoxy
- 7430 (57059) Aromatic Urethane
- 7430-CA (57041) Aromatic Urethane
- 7470 (47LJB) 1K Aliphatic Urethane Deck Coating
- 70420 (47HJB) Integrally Textured Aromatic Urethane
- 70420-CA (47JJB) Integrally Textured Aromatic Urethane
- 70805/7952 (57029/95051) Aliphatic 2K Urethane
- FC7500/FC7960 (45067/95077) 2K Urethane Base Coat
- FC7510/FC7961 (47PJ9/948JB) 2K Aromatic Urethane
- FC7530/FC7963 (57069/95056) 2K Aliphatic Urethane Topcoat
- FC7540/FC7564 (47QJ9/949JB) 2K Aliphatic Urethane Topcoat
- FC7545/FC7964 (47RJ9/949JB) Integrally Textured 2K Aliphatic Urethane Topcoat

Materials & Resources Credit 6.2: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.2)

Neogard certifies that the products listed below contain 25% post-consumer recycled content and may be considered for this credit.

- 70420 (47HJB) Integrally Textured Aromatic Urethane
- 70420-CA (47JJB) Integrally Textured Aromatic Urethane
- FC7545/FC7964 (47RJ9/949JB) Integrally Textured 2K Aliphatic Urethane Topcoat

MRc6.2 Continued

- 7475 (47MJB) 1K Integrally Textured Aliphatic Urethane
- 7478 (47BJB) 1K Aliphatic Integrally Textured Urethane Deck Coating

Indoor Environmental Quality Credit 5.2: Low-Emitting Materials (EQc5.2)

Neogard certifies volatile organic content (VOC) levels for the products listed below. Products with VOC limits established in South Coast Air Quality Management District (SCAQMD) Rule 1113 for Traffic Coatings (< 100 g/L) may be considered for this credit.

- 70410-CA (45011) Aromatic Urethane contains 98 g/L VOC
- 70700/70701 (255J9/95MJB) Moisture Mitigating Primer contains <6 g/L VOC
- 70714/70715-09 (45069/95075) Two-Component General Purpose Epoxy contains <5 g/L VOC
- 7430-CA (57041) Aromatic Urethane contains 97 g/L VOC
- 70420-CA (47JJB) Integrally Textured Aromatic Urethane contains 95.28 g/L VOC
- FC7500/FC7960 (45067/95077) 2K Urethane Base Coat contains <5 g/L VOC
- FC7510/FC7961 (47PJ9/948JB) 2K Aromatic Urethane contains <22 g/L VOC
- FC7530/FC7963 (57069/95056) 2K Aliphatic Urethane Topcoat contains 37 g/L VOC
- FC7540/FC7564 (47QJ9/949JB) 2K Aliphatic Urethane Topcoat contains 99.5 g/L VOC
- FC7545/FC7964 (47RJ9/949JB) Integrally Textured Aliphatic Urethane contains 78.6 g/L VOC

Re: Neogard Flooring Coating Systems – LEED Product Information

To Whom It May Concern:

Neogard, a part of Hempel, manufactures products that qualify for points under LEED v4 for New Construction and Major Renovations. The following information references specific LEED credits and outlines potential points available when these products are used on a project:

Materials & Resources Credit 6.1: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.1)

Neogard certifies that the products listed below are manufactured at 2728 Empire Central, Dallas, TX 75235. Products sourced within 100 miles of the project site are valued at 200% of their base contributing cost.

- 70702/70703 (250J9/95VJB) Epoxy Re-Surfacer for Concrete
- 70704/70705 (45029/95047) Novolac Epoxy
- 70714-70715 (45069-95073) 2K Performance Epoxy
- 70714-70715-01 (45069-95074) 2K Fast Cure High Performance Epoxy
- 70714-70715-09 (45069-95075) Two-Component General Purpose Epoxy
- 70718/70719 (25009/95048) Flexible Epoxy
- 70724/70715 (251J9/95073) Mastic Epoxy
- 70734/70735 (45049/95049) 2K Low Yellowing Epoxy
- 70805/7952 (57029/95051) 2K Aliphatic Urethane
- 70817/70818 (57079/95059) High Solids Chemical Resistant Urethane (CRU)
- 70860/70865 (47PJ9/948JB) High Gloss Aliphatic Polyurea
- 70861/70865 (57069/95056) Semi-Gloss Aliphatic Polyurea
- 45080/99951 (47QJ9/949JB) Acrylithane HS2 Acrylic Urethane Catalyzed Coating
- 4600/99951 (64AJ9/95041) Acrylithane HS4 Acrylic Urethane Catalyzed Coating
- 41014 (584JB) Deco-Glaze Latex Acrylic / Epoxy
- 70800/70801/70804 (48019/98010/66022) Neocrete SL Resurfacing Mix
- 70800/70801/70802 (48019/98010/66020) Neocrete Trowel Resurfacing Mix
- 70869/70819 (57039/95055) Polyaspartic

Indoor Environmental Quality Credit 5.2: Low-Emitting Materials (EQc5.2)

Neogard certifies volatile organic content (VOC) levels for the products listed below. Products with VOC limits established in South Coast Air Quality Management District (SCAQMD) Rule 1113 for Floor Coatings (< 50 g/L) and Industrial Maintenance Coatings (<100 g/L) may be considered for this credit.

- 70702/70703 (250J9/95VJB) Epoxy Re-Surfacer for Concrete contains <10 g/L VOC
- 70704/70705 (45029/95047) Novolac Epoxy contains <5 g/L VOC
- 70714-70715 (45069-95073) 2K Performance Epoxy contains <10 g/L VOC
- 70714-70715-01 (45069-95074) 2K Fast Cure High Performance Epoxy contains <5 g/L VOC
- 70714-70715-09 (45069-95075) Two-Component General Purpose Epoxy contains <5 g/L VOC
- 70869/70819 (57039/95055) Polyaspartic contains 89 g/L VOC
- 70718/70719 (25009/95048) Flexible Epoxy contains 2.3 g/L VOC
- 70724/70715 (251J9/95073) Mastic Epoxy contains <5 g/L VOC
- 70734/70735 (45049/95049) 2K Low Yellowing Epoxy contains <10 g/L VOC
- 70817/70818 (57079/95059) High Solids Chemical Resistant Urethane (CRU) contains <100 g/L VOC
- 4600/99951 (64AJ9/95041) Acrylithane HS4 Acrylic Urethane Catalyzed Coating contains 95 g/L VOC
- 41014 (584JB) Deco-Glaze Latex Acrylic / Epoxy contains 0 g/L VOC
- 70800/70801/70804 (48019/98010/66022) Neocrete SL Resurfacing Mix contains 8.4 g/L VOC
- 70800/70801/70802 (48019/98010/66020) Neocrete Trowel Resurfacing Mix contains 8.4 g/L VOC

Re: Neogard Miscellaneous Products – LEED Product Information

To Whom It May Concern:

Neogard, a part of Hempel, manufactures products that qualify for points under LEED v4 for New Construction and Major Renovations. The following information references specific LEED credits and outlines potential points available when these products are used on a project:

Materials & Resources Credit 6.1: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.1)

Neogard certifies that the products listed below are manufactured at 2728 Empire Central, Dallas, TX 75235. Products sourced within 100 miles of the project site are valued at 200% of their base contributing cost.

- 7992 (66010) Silica (Quartz) Sand Aggregate – Brady, TX
- 7992-U (66EJB) Silica (Quartz) Sand Aggregate – Voca, TX
- 84059 (66HJB) #3 Flint Aggregate – Picher, OK
- 86364 (66030) Flooring Aggregate – Voca, TX
- 86468 (66040) Silica Flour Aggregate (200 Mesh) – Cleburne, TX / Mill Creek, OK / Mooresburg, TN
- 86301 to 86309 Neo-Quartz (Standard and UV Stable) Aggregate – Ottawa, IL / Cayce, SC
 - 86301 (66JJB)
 - 86302 (66KJB)
 - 86303 (66LJB)
 - 86304 (66MJB)
 - 86305 (66NJB)
 - 86306 (66PJB)
 - 86307 (66QJB)
 - 86308 (66RJB)
 - 86309 (66SJB)
- 86500 (66XJB) Neogrip Spheres (A-Glass 1922) – Cleveland, OH

Materials & Resources Credit 6.2: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.2)

Neogard certifies that the products listed below contain 25% post-consumer recycled content and may be considered for this credit.

- 86500 (66XJB) Neogrip Spheres (A-Glass 1922)

Re: Neogard Miscellaneous Products – LEED Product Information

To Whom It May Concern:

Neogard, a part of Hempel, manufactures products that qualify for points under LEED v4 for New Construction and Major Renovations. The following information references specific LEED credits and outlines potential points available when these products are used on a project:

Materials & Resources Credit 6.1: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.1)

Neogard certifies that the products listed below are manufactured at 2728 Empire Central, Dallas, TX 75235. Products sourced within 100 miles of the project site are valued at 200% of their base contributing cost.

- 7780/7781 (280J9/98060) Two-Component High Performance Epoxy
- 7797/7798 (254J9/946JB) General Purpose Urethane Primer
- 7740/7741 (252J9/95WJB) Epoxy Primer
- 70714/70715-09 (45069-95075) Two-Component General Purpose Epoxy
- 70714/70715 (45069-95073) 2K High Performance Epoxy
- 70714/70715-01 (45069-95074) 2K Fast Cure High Performance Epoxy
- 33304 (15099) Chem-O-Pon High Build, High Solids Epoxy Primer
- 3090 (181JB) Multi-Grip II Acrylic Latex Primer
- 33010 (15049) Urethane HS2 High Performance Epoxy Urethane Primer
- 33014 (15059) Urethane HS4 High Performance Epoxy Urethane Primer
- 7922 (990JB) Vertical Additive
- 7923, 7925, 7931 & 7932 (95053, 991JB, 99055 & 992JB) Urethane Accelerator
- 7986 (994JB) Vanilla Scented Odor Mask
- 7987 (995JB) Orange Scented Odor Mask
- 20653 (080JB) Xylene Thinner
- 7055 (086JB) Odorless Reducer
- 8500 (089JB) BioDegradable Cleaner (BDC)

Materials & Resources Credit 6.2: Building Product Disclosure and Optimization – Sourcing of Raw Materials (MRc6.2)

Neogard certifies that the products listed below contain 25% post-consumer recycled content and may be considered for this credit.

- 86500 (66XJB) Neogrip Spheres (A-Glass 1922)
- 86220 (63BJB) Tietex Roofing Fabric T272